

Serial No. 09/745,120  
September 17, 2003  
Response to Office Action of May 20, 2003  
Page 2 of 10

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

Claim 1 (currently amended): An electronic component comprising:  
an insulative case including a lower case portion and an upper case portion;  
a plurality of surface-mounting terminals mounted on said insulative case;  
at least one notch provided in and extending entirely through said ~~insulative~~  
lower case portion in a thickness direction from a top surface to a bottom surface  
thereof to accommodate a substantially L-shaped lead portion of at least one of said  
plurality of surface-mounting terminals; and  
said notch providing a clearance between said ~~insulative lower case portion~~ and  
said substantially L-shaped lead portion of said at least one of said plurality of surface-  
mounting terminals such that said substantially L-shaped lead portion does not contact  
any part of the lower case portion so as to prevent the occurrence of capillary effect of  
solder applied to said electronic component.

Claim 2 (currently amended): An electronic component as claimed in claim 1,  
wherein said substantially L-shaped lead portion of said at least one of said plurality of  
surface-mounting terminals includes a solder fillet portion.

Claim 3 (previously presented): An electronic component as claimed in claim 2,  
wherein said clearance is provided between the solder fillet portion and said insulative  
case.

Claim 4 (currently amended): An electronic component as claimed in claim 1,  
~~wherein said insulative case is divided into two portions, and further comprising:~~  
a plurality of terminals led out from a divided surface of said insulative case to the  
outside of said insulating case;  
a groove intersecting at least one of said plurality of terminals, said groove being

Serial No. 09/745,120  
September 17, 2003  
Response to Office Action of May 20, 2003  
Page 3 of 10

provided in said divided surface of said insulative case.

Claim 5 (original): An electronic component as claimed in claim 4, wherein said groove has a substantially V-shaped cross-section, and said groove extends in the direction that is substantially perpendicular to a flowing direction of flux.

Claim 6 (original): An electronic component as claimed in claim 1, further comprising a fixed terminal and a movable terminal each having substantially L-shaped lead portions.

c/ Claim 7 (original): An electronic component according to claim 6, wherein said at least one notch includes a first notch and a second notch.

Claim 8 (currently amended): An electronic component according to claim 7, wherein said first notch receives said substantially L-shaped lead portion of said fixed terminal.

Claim 9 (currently amended): An electronic component according to claim 7, wherein said second notch receives said substantially L-shaped lead portion of said movable terminal.

Claim 10 (original): An electronic component according to claim 6, wherein the movable terminal includes a movable contact portion having a spring property which bulges upward at an approximate central portion thereof, said movable terminal contacts said fixed terminal by the force caused by the spring property of the movable contact portion to electrically connect said movable terminal to said fixed terminal.

Claim 11 (original): An electronic component according to claim 1, wherein said insulative case is made of resin.

Serial No. 09/745,120  
September 17, 2003  
Response to Office Action of May 20, 2003  
Page 4 of 10

Claim 12 (currently amended): A coaxial connector comprising:

an insulative case having a hollow portion into which a central contact of a mating coaxial connector is inserted and including a lower case portion and an upper case portion;

a fixed terminal and a movable terminal for surface mounting, said fixed terminal and movable terminal being mounted to the hollow portion of said insulative case;

a surface-mounting external terminal mounted onto the outside of said insulative case, said surface-mounting external terminal being electrically connected with an outer conductor of said mating coaxial connector; and

notches provided in and extending entirely through said ~~insulative~~ lower case portion in a thickness direction from a top surface to a bottom surface thereof to accommodate substantially L-shaped lead portions of each of said fixed terminal and movable terminal such that said substantially L-shaped lead portions do not contact any part of the lower case portion so as to prevent the occurrence of capillary effect of solder applied to said coaxial connector.

Claim 13 (currently amended): A coaxial connector as claimed in claim 12, wherein each of said notches includes a clearance between said substantially L-shaped lead portions of each of said fixed terminal and said movable terminal and said insulative case to prevent the occurrence of capillary effect.

Claim 14 (currently amended): A coaxial connector as claimed in claim 13, wherein each of said clearances being defined between a solder fillet portion of said substantially L-shaped lead portions and said insulative case.

Claim 15 (currently amended): A coaxial connector as claimed in claim 12, wherein ~~said insulative case is divided into two portions, and the~~ substantially L-shaped lead portions of each of said fixed and movable terminals are led out from the divided surfaces of the insulative cas to the outside of the insulative case, and further comprising:

Serial No. 09/745,120  
September 17, 2003  
Response to Office Action of May 20, 2003  
Page 5 of 10

a groove intersecting at least one of said fixed and movable terminals, said groove being provided in a divided surface of said insulative case.

Claim 16 (original): A coaxial connector as claimed in claim 15, wherein said groove has a substantially V-shaped cross-section, and said groove extends in a direction that is substantially perpendicular to a flowing direction of flux.

c/ Claim 17 (original): An electronic component according to claim 12, wherein the movable terminal includes a movable contact portion having a spring property which bulges upward at the approximate central portion thereof, said movable terminal contacts said fixed terminal by the force caused by the spring property of the movable contact portion to electrically connect said movable terminal to said fixed terminal.

Claim 18 (original): An electronic component according to claim 12, wherein said insulative case is made of resin.

Claim 19 (original): A communication device comprising an electronic component as claimed in claim 1.

Claim 20 (original): A communication device comprising a coaxial connector as claimed in claim 12.

Claims 21 and 22 (canceled)

---